

Sparepart documentation



BPT E 36 H banquet

Prod. No.: 575212

Product details:

B.PROTHERM E 36 x 2/1 heated/heated banquet
B.PROTHERM E food transport container 2/1, convection-heated
Made of corrosion-resistant steel, with hinged door, mobile.
36 pairs of support ledges
Space between ledges: 38.3 mm
Temperature range adjustable between +30 °C and +95 °C.
Mains frequency: 50/60 Hz
Basic model: 386617

Spareparts







Image	Code	Name	Quantity in device
	388087	Insert (valid from 01/18/2022)	1.0 Each
	388136	Mounting bracket 80° (valid from 01/18/2022)	1.0 Each
	386649	Corpus hinge top right (valid from 01/18/2022)	1.0 Each
	374840	Rubber buffer D25xh12-d5 (valid from 01/18/2022)	1.0 Each
	386786	Tube D28x1 L=586,4 (valid from 01/18/2022)	1.0 Each
	372911	body for push handle holder (valid from 01/18/2022)	2.0 Each
	372913	Cover push handle holder left, logo (valid from 01/18/2022)	1.0 Each
	372912	Cover push handle holder right, logo (valid from 01/18/2022)	1.0 Each

Image	Code	Name	Quantity in device
	<u>386652</u>	Hinge (valid from 01/18/2022)	1.0 Each
	<u>83031</u>	washer A 8.4 DIN 125 brass (valid from 01/18/2022)	1.0 Each
	<u>387304</u>	Warm module cpl. 1450W (valid from 01/18/2022)	1.0 Each
	<u>107469</u>	Radial Fan R2K150/0020-4218 (valid from 01/18/2022)	1.0 Each
	<u>388233</u>	Spring 6,9x8 VD_063H_20_1 (valid from 11/02/2022)	1.0 Each
	<u>107671</u>	Tubular heater 1450W 20.43035.020 (valid from 01/18/2022)	1.0 Each
	<u>107694</u>	Temperature sensor PT1000_B. PROTHERM (valid from 01/18/2022)	1.0 Each
	<u>105805</u>	Safety temperature limiter 135 °C (valid from 01/18/2022)	1.0 Each
	<u>105194</u>	fixing clamp H3P-N66-NA (valid from 01/18/2022)	1.0 Each

Image	Code	Name	Quantity in device
	386579	mold without lock <i>(valid from 01/18/2022)</i>	1.0 Each
	386767	Push Rod 36 <i>(valid from 01/18/2022)</i>	1.0 Each
	388138	Knob cpl. <i>(valid from 01/18/2022)</i>	1.0 Each
	386565	Door handle <i>(valid from 01/18/2022)</i>	1.0 Each
	387941	Emergency opening <i>(valid from 03/11/2026)</i>	1.0 Each



















Image	Code	Name	Quantity in device
	377734	Pressure spring VD-180-07 (valid from 08/03/2022)	2.0 Each
	386562	Cover (valid from 01/18/2022)	1.0 Each
	389058	Bushing (valid from 01/18/2022)	1.0 Each
	386778	Seal (valid from 01/18/2022)	4.005 Meter
	386547	Display Mount (valid from 01/18/2022)	1.0 Each
	107664	BPT Display (valid from 01/18/2022)	1.0 Each
	386476	Display Foil Atlas (valid from 01/18/2022)	1.0 Each
	369654	Plug holder universal (valid from 01/18/2022)	1.0 Each
	117766	plastic cover ring for plug holder (valid from 01/18/2022)	1.0 Each
	105429	terminal block Wieland KL 24/3 SL (valid from 01/18/2022)	1.0 Each
	107722	BPT Power PCB (valid from 01/18/2022)	1.0 Each
	106304	Cable gland M20x1.5 black (valid from 01/18/2022)	1.0 Each
	106311	Hexagon nut M20x1.5 (plastic) (valid from 01/18/2022)	1.0 Each

Image	Code	Name	Quantity in device
	106708	magnetic switch MK4-1A75-C-300W (valid from 01/18/2022)	1.0 Each
	107692	Decal equipotential bonding (valid from 01/18/2022)	1.0 Each
	107682	Spiral cable Europe 3x1,5 qmm BL-570 (valid from 05/23/2022)	1.0 Each
	373391	Castor wheel LE-VPP 160R-SG (valid from 01/18/2022)	2.0 Each
	373392	Castor wheel with brake LE-VPP160R-FI-SG (valid from 01/18/2022)	2.0 Each