

# Sparepart documentation



## BPT E 2 x 16 (10) combi H/C banquet

Prod. No.: 575217

### Product details:

B.PROTHERM E 2 x 16 (10) x 2/1 combi heated/cooled banquet<br>B. PROTHERM E food transport container 2/1, convection-heated /convection-<br>cooled<br>Made of corrosion-resistant steel, with hinged doors, mobile.upper<br>compartment: convection-heated, <br>temperature range adjustable between +30 °C and +95 °C<br>16 pairs of support ledgeslower compartment: convection-cooled, <br>temperature range adjustable between +2 °C and +10 °C<br>16 pairs of support ledges with 10 x 2/1 and 6 x 1/1<br>Refrigerant: propane R290.<br>Mains frequency: 50/60 Hz<br><br>Basic model: 386622

## Spareparts






Image	Code	Name	Quantity in device
	<a href="#">388087</a>	Insert (valid from 05/17/2022)	1.0 Each
	<a href="#">388136</a>	Mounting bracket 80° (valid from 05/17/2022)	2.0 Each
	<a href="#">386649</a>	Corpus hinge top right (valid from 05/17/2022)	1.0 Each
	<a href="#">105108</a>	Edge protection 1-2mm black (valid from 05/17/2022)	0.48 Meter
	<a href="#">386724</a>	Filter (valid from 05/17/2022)	1.0 Each
	<a href="#">387488</a>	Cover cap (valid from 05/17/2022)	1.0 Each

Image	Code	Name	Quantity in device
	<a href="#">284644</a>	magnet KR-27-16-05-N (valid from 05/17/2022)	1.0 Each
	<a href="#">386786</a>	Tube D28x1 L=586,4 (valid from 05/17/2022)	1.0 Each
	<a href="#">372911</a>	body for push handle holder (valid from 05/17/2022)	2.0 Each
	<a href="#">372913</a>	Cover push handle holder left, logo (valid from 05/17/2022)	1.0 Each
	<a href="#">372912</a>	Cover push handle holder right, logo (valid from 05/17/2022)	1.0 Each
	<a href="#">386652</a>	Hinge (valid from 05/17/2022)	1.0 Each
	<a href="#">83031</a>	washer A 8.4 DIN 125 brass (valid from 05/17/2022)	1.0 Each
	<a href="#">387418</a>	Hinge cmpl. (valid from 05/17/2022)	1.0 Each
	<a href="#">387411</a>	Partition bar cpl. (valid from 05/17/2022)	1.0 Each









Image	Code	Name	Quantity in device
	<a href="#">387165</a>	Warm module cpl. 950 W (valid from 05/17/2022)	1.0 Each
	<a href="#">107469</a>	Radial Fan R2K150/0020-4218 (valid from 05/17/2022)	1.0 Each
	<a href="#">388233</a>	Spring 6,9x8 VD_063H_20_1 (valid from 11/02/2022)	1.0 Each
	<a href="#">107672</a>	Tubular heater 950W 20.43035.010 (valid from 05/17/2022)	1.0 Each
	<a href="#">107694</a>	Temperature sensor PT1000_B. PROTHERM (valid from 05/17/2022)	1.0 Each
	<a href="#">105805</a>	Safety temperature limiter 135 °C (valid from 05/17/2022)	1.0 Each
	<a href="#">149200</a>	Axial fan 4656 ZWU 230VAC (valid from 05/17/2022)	2.0 Each
	<a href="#">134246</a>	Condenser Fan of Cooling Modul with R290 (valid from 03/19/2024)	1.0 Each
	<a href="#">149785</a>	Condenser Fan of Cooling Modul with R290 (valid from 05/17/2022)	1.0 Each
	<a href="#">386716</a>	Condensate pan cpl. (valid from 05/17/2022)	1.0 Each






















Image	Code	Name	Quantity in device
	<a href="#"><u>386579</u></a>	mold without lock (valid from 05/17/2022)	1.0 Each
	<a href="#"><u>388138</u></a>	Knob cpl. (valid from 05/17/2022)	1.0 Each
	<a href="#"><u>386565</u></a>	Door handle (valid from 05/17/2022)	1.0 Each
	<a href="#"><u>387941</u></a>	Emergency opening (valid from 03/11/2026)	1.0 Each
	<a href="#"><u>377734</u></a>	Pressure spring VD-180-07 (valid from 08/03/2022)	2.0 Each
	<a href="#"><u>386562</u></a>	Cover (valid from 05/17/2022)	1.0 Each
	<a href="#"><u>284700</u></a>	magnet KV-25-25-13-N (valid from 05/17/2022)	1.0 Each
	<a href="#"><u>389058</u></a>	Bushing (valid from 05/17/2022)	1.0 Each
	<a href="#"><u>386778</u></a>	Seal (valid from 05/17/2022)	2.509 Meter
	<a href="#"><u>386547</u></a>	Display Mount (valid from 05/17/2022)	2.0 Each
	<a href="#"><u>107664</u></a>	BPT Display (valid from 05/17/2022)	2.0 Each
	<a href="#"><u>386476</u></a>	Display Foil Atlas (valid from 05/17/2022)	2.0 Each

Image	Code	Name	Quantity in device
	<a href="#">369654</a>	Plug holder universal (valid from 05/17/2022)	1.0 Each
	<a href="#">117766</a>	plastic cover ring for plug holder (valid from 05/17/2022)	1.0 Each
	<a href="#">105429</a>	terminal block Wieland KL 24/3 SL (valid from 05/17/2022)	2.0 Each
	<a href="#">107722</a>	BPT Power PCB (valid from 05/17/2022)	1.0 Each
	<a href="#">106304</a>	Cable gland M20x1.5 black (valid from 05/17/2022)	1.0 Each
	<a href="#">106311</a>	Hexagon nut M20x1.5 (plastic) (valid from 05/17/2022)	1.0 Each
	<a href="#">106708</a>	magnetic switch MK4-1A75-C-300W (valid from 05/17/2022)	2.0 Each
	<a href="#">107692</a>	Decal equipotential bonding (valid from 05/17/2022)	1.0 Each
	<a href="#">107682</a>	Spiral cable Europe 3x1,5 qmm BL-570 (valid from 05/23/2022)	1.0 Each
	<a href="#">373391</a>	Castor wheel LE-VPP 160R-SG (valid from 05/17/2022)	2.0 Each
	<a href="#">373392</a>	Castor wheel with brake LE-VPP160R-FI-SG (valid from 05/17/2022)	2.0 Each

