

# Sparepart documentation



## BPT E 2 x 36 (30) duo H/C banquet

Prod. No.: 575218

### Product details:

B.PROTHERM E 2 x 36 (30) x 2/1 duo heated/cooled banquet  
B. PROTHERM E food transport container 2/1, convection-heated /convection-cooled  
Made of corrosion-resistant steel, with hinged doors, mobile.  
left compartment: convection-heated, temperature range adjustable between +30 °C and +95 °C  
36 pairs of support ledges  
right compartment: convection-cooled, temperature range adjustable between +2 °C and +10 °C  
36 pairs of support ledges with 30 x 2/1 and 6 x 1/1  
Refrigerant: propane R290.  
Mains frequency: 50/60 Hz  
Basic model: 386623

## Spareparts






Image	Code	Name	Quantity in device
	<a href="#">388087</a>	Insert (valid from 05/12/2022)	2.0 Each
	<a href="#">388136</a>	Mounting bracket 80° (valid from 05/12/2022)	2.0 Each
	<a href="#">386649</a>	Corpus hinge top right (valid from 05/12/2022)	1.0 Each
	<a href="#">386650</a>	Corpus hinge top left (valid from 05/12/2022)	1.0 Each
	<a href="#">105108</a>	Edge protection 1-2mm black (valid from 05/12/2022)	0.48 Meter
	<a href="#">386724</a>	Filter (valid from 05/12/2022)	1.0 Each
	<a href="#">374840</a>	Rubber buffer D25xh12-d5 (valid from 05/12/2022)	2.0 Each

Image	Code	Name	Quantity in device
	<a href="#">386786</a>	Tube D28x1 L=586,4 (valid from 05/12/2022)	1.0 Each
	<a href="#">372911</a>	body for push handle holder (valid from 05/12/2022)	2.0 Each
	<a href="#">372913</a>	Cover push handle holder left, logo (valid from 05/12/2022)	1.0 Each
	<a href="#">372912</a>	Cover push handle holder right, logo (valid from 05/12/2022)	1.0 Each
	<a href="#">386652</a>	Hinge (valid from 05/12/2022)	2.0 Each
	<a href="#">83031</a>	washer A 8.4 DIN 125 brass (valid from 05/12/2022)	2.0 Each
	<a href="#">387304</a>	Warm module cpl. 1450W (valid from 05/12/2022)	1.0 Each
	<a href="#">107469</a>	Radial Fan R2K150/0020-4218 (valid from 05/12/2022)	1.0 Each
	<a href="#">388233</a>	Spring 6,9x8 VD_063H_20_1 (valid from 11/02/2022)	1.0 Each









Image	Code	Name	Quantity in device
	<a href="#">107671</a>	Tubular heater 1450W 20.43035.020 (valid from 05/12/2022)	1.0 Each
	<a href="#">107694</a>	Temperature sensor PT1000_B. PROTHERM (valid from 05/12/2022)	1.0 Each
	<a href="#">105805</a>	Safety temperature limiter 135 °C (valid from 05/12/2022)	1.0 Each
	<a href="#">105194</a>	fixing clamp H3P-N66-NA (valid from 05/12/2022)	1.0 Each
	<a href="#">149200</a>	Axial fan 4656 ZWU 230VAC (valid from 05/12/2022)	2.0 Each
	<a href="#">134246</a>	Condenser Fan of Cooling Modul with R290 (valid from 03/19/2024)	1.0 Each
	<a href="#">149785</a>	Condenser Fan of Cooling Modul with R290 (valid from 05/12/2022)	1.0 Each
	<a href="#">386716</a>	Condensate pan cpl. (valid from 05/12/2022)	1.0 Each
	<a href="#">386579</a>	mold without lock (valid from 05/12/2022)	1.0 Each




Image	Code	Name	Quantity in device
	<a href="#">386767</a>	Push Rod 36 <i>(valid from 05/12/2022)</i>	1.0 Each
	<a href="#">388138</a>	Knob cpl. <i>(valid from 05/12/2022)</i>	1.0 Each
	<a href="#">386565</a>	Door handle <i>(valid from 05/12/2022)</i>	1.0 Each
	<a href="#">387946</a>	Emergency opening left <i>(valid from 05/12/2022)</i>	1.0 Each
	<a href="#">377734</a>	Pressure spring VD-180-07 <i>(valid from 08/03/2022)</i>	2.0 Each
	<a href="#">386562</a>	Cover <i>(valid from 05/12/2022)</i>	1.0 Each
	<a href="#">389058</a>	Bushing <i>(valid from 05/12/2022)</i>	1.0 Each
















Image	Code	Name	Quantity in device
	<a href="#">386778</a>	Seal (valid from 05/12/2022)	4.005 Meter
	<a href="#">387941</a>	Emergency opening (valid from 03/11/2026)	1.0 Each
	<a href="#">386547</a>	Display Mount (valid from 05/16/2022)	2.0 Each
	<a href="#">107664</a>	BPT Display (valid from 05/16/2022)	2.0 Each
	<a href="#">386476</a>	Display Foil Atlas (valid from 05/16/2022)	2.0 Each
	<a href="#">369654</a>	Plug holder universal (valid from 05/16/2022)	1.0 Each
	<a href="#">117766</a>	plastic cover ring for plug holder (valid from 05/12/2022)	1.0 Each
	<a href="#">105429</a>	terminal block Wieland KL 24/3 SL (valid from 05/16/2022)	2.0 Each
	<a href="#">107722</a>	BPT Power PCB (valid from 05/16/2022)	1.0 Each
	<a href="#">106304</a>	Cable gland M20x1.5 black (valid from 05/16/2022)	1.0 Each
	<a href="#">106311</a>	Hexagon nut M20x1.5 (plastic) (valid from 05/16/2022)	1.0 Each
	<a href="#">106708</a>	magnetic switch MK4-1A75-C-300W (valid from 05/16/2022)	2.0 Each

Image	Code	Name	Quantity in device
	<a href="#">107692</a>	Decal equipotential bonding (valid from 05/16/2022)	1.0 Each
	<a href="#">107682</a>	Spiral cabel Europe 3x1,5 qmm BL-570 (valid from 05/23/2022)	1.0 Each
	<a href="#">373391</a>	Castor wheel LE-VPP 160R-SG (valid from 05/12/2022)	2.0 Each
	<a href="#">373392</a>	Castor wheel with brake LE-VPP160R-FI-SG (valid from 05/12/2022)	2.0 Each